

# बीकानेर नगर निगम

नगर निगम मार्ग, बीकानेर (राजस्थान) फ़ैक्स :- 0151-2226906, फ़ोन :- 0151-2226902, 0151-2226905  
Mail Address :- nagarnigambikaner@gmail.com, Web Site :- www.bikanerme.org

क्रमांक/निर्माण/2024-25/9667-74

दिनांक 28-6-24

निविदा सूचना सं० 04/2024-25

नगर निगम बीकानेर की ओर से निम्नलिखित कार्यो के लिये केन्द्र व राज्य सरकार के अभियांत्रिकी विभागी में "पंप", "पू" श्रेणी में पंजीकृत संवेदको एवं नगर निगम में उपर्युक्त श्रेणी में पंजीकृत निविदादाताओं (स्थाई रजिस्ट्रेशन नियमानुसार रिव्यू होना आवश्यक) से निर्धारित प्रपत्र में ऑफ लाईन निविदाएं आमंत्रित की जाती है। निविदा से सम्बन्धित विवरण वेब साईट [www.bikanerme.org](http://www.bikanerme.org) Web site [www.sppp.raj.nic.in](http://www.sppp.raj.nic.in) से पर देखा जा सकता है निर्धारित शुल्क जमा कराकर निर्माण शाखा, नगर निगम, बीकानेर से प्राप्त की जाकर दिनांक 05/07/24 को दोपहर 1:00 बजे तक विक्रय की जाकर एवं उसी दिवस 3:00 बजे प्राप्त की जाकर राय 3:30 बजे उपस्थित सचिवको एवं उनके प्रतिनिधि के समक्ष खोली जायेगी। Download किये जाने की स्थिति में सुरक्षा राशि के साथ निविदा शुल्क की राशि भी जमा/डी.डी. इत्यादि सलमन किये जाना अनिवार्य होगा। यदि निविदा विक्रय/प्राप्ति तिथि को राजकीय अवकाश होगा तो आगामी कार्य दिवस को निविदा विक्रय एवं प्राप्त की जायेगी।

क्र. सं.	कार्य का नाम	अनुमानित लागत (लाखों में)	निविदा शुल्क	अमानत राशि	कार्य अवधि
1	मुरलीधर व्यास कॉलोनी अग्निशमन कार्यालय में महिला शौचालय निर्माण कार्य।	4.97	500	2% or 1/2%	2 माह

शर्तें :-

- निविदा की समस्त शर्तें कार्य दिवस में निर्माण शाखा में देखी जा सकती है।
- निविदा विक्रय तिथि को कम्प्यूटर से काटी गई रसीद प्रस्तुत करने के पश्चात् ही निविदा खोली जायेगी।
- दरें तीन माह के लिए मान्य होगी।
- एक लिफाफे में एक ही निविदा प्रति डालनी होगी जिसे पर कार्य का नाम, निविदा क्रमांक अंकित करने होंगे।
- नवीनतम नियमों के तहत पंजीयन रिव्यू/स्थाई पंजीकृत संवेदको को ही निविदा प्रति दी जायेगी।
- निविदा बिना किसी कारण बताये निरस्त करने का अधिकार अधोहरताक्षरकर्ता को पारा निहित रहेगा।
- RTPP एक्ट 2012, नियम 2013 के समस्त प्राक्खान लागू होंगे। RTPP 2013 के नियम 75A के अनुसार कार्य में दर 1% प्रतिशत से अधिक कीयी जाने पर बिड की 85 प्रतिशत राशि में से भरी गई बिड के अन्तर राशि का 50 प्रतिशत की राशि अतिरिक्त पीक्रीड के रूप में अनुबंध से पूर्व जमा करना आवश्यक होगा।

आयुक्त  
नगर निगम, बीकानेर

दिनांक 28-6-24

क्रमांक/निर्माण/2024-25/9667-74

प्रतिलिपि :-

- श्रीमान् जिला कलक्टर, बीकानेर।
- महापौर महोदया, नगर निगम, बीकानेर।
- श्रीमान् मुख्य अभियन्ता, स्थानीय निकाय विभाग, जयपुर (राजस्थान)।
- उपायुक्त (पूर्व/पश्चिम), नगर निगम, बीकानेर।
- मुख्य लेखाधिकारी, नगर निगम, बीकानेर।
- श्रीमान् निदेशक, जनसम्पर्क एवं प्रकाशन विभाग, राजस्थान संवाद जयपुर को प्रेषित कर लेख है कि उपरोक्त निविदा का प्रकाशन कम से कम रपेरा में राज्य सरकार की प्रकाशन नीति के अनुरूप नियमानुसार करवाने का श्रम करावे।
- ओसवाल डाटा प्रोसेसर, नगर निगम, बीकानेर को भेजकर लेख है कि नगर निगम, बीकानेर की Website पर जाशी करें।
- नोटिस बोर्ड, नगर निगम, बीकानेर।

Signature valid

Digitally signed by Ashok Kumar


Balkrishna Raseeja

Designation : Commissioner

Date: 2024.06.27 14:59:49 IST

Reason: Approved





**Municipal Corporation, Bikaner.**

Name of Work : मुरलीधर व्यास कॉलोनी अग्निशमन कार्यालय में महिला शौचालय निर्माण कार्य।

Name of Contractor :- .....

Date of Sales : As per NIT	Date of Opening : As per NIT	
Tender Cost Rs 497000/-	Earnest Money Rs. 2% or 1/2%	Tender Fess :500/-
Earnest Money Cheque Draft No. :	Date :	
Earnest Money M.C.B. Receipt No. :	Date :	
Earnest Fees M.C.B. Receipt No. :	Date :	

**"G" Schdule**

S. No.	Item Code	Item	Qty.	Unit	Rate	Amount
1.	10.1.1	Earth work in excavation in foundation, trenches etc. including dressing of sides and ramming of bottoms, including getting out the excavated material, refilling after laying pipe/ foundation and disposal of surplus excavated material at a lead upto 50m suitable site as per direction of Engineer for following depths, below natural ground / Road top level. In all types soils/ saturated soil such as moorum, sand, sandy silt, clay, black cotton soil, kankar, etc. Depth upto 1.5 m.	19.09	Cum	229.50	4381.16
2.	21.1.5	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level : 1:3:6 (1 Cement : 5 fine/ coarse sand : 10 graded stone aggregate 40 mm nominal size)	2.39	Cum	5000.00	11950.00
3.	24.1.1	Brick work with FPS bricks of class designation 75 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand).	15.58	Cum	5600.00	87248.00
4.	22.1.3	Centring and shuttering with plywood or steel sheet upto two stories or height upto 7.5 metre above plinth level including strutting, propping etc. and removal of form for : Suspended floors, roofs, landings, balconies and access platform.	6.36	Sqm	456.00	2900.16
5.	21.2.2	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets etc. upto two stories, excluding the cost of centring, shuttering 1:1½:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate 20 mm nominal size).	11.06	Cum,	6810.00	75318.60
6.	23.19 23.19.6	Reinforcement for R.C.C. work at all levels including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars.	600.00	Kg.	83.30	49980.00
7.	24.5.1	Brick work with FPS bricks of class designation 75 in superstructure above plinth level upto two stories in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	9.51	Cum	6500.00	61815.00
8.	31.61.2	Stone slab roofing on ground floor with fine grained stone slab 90mm average thickness from approved quarry including filling of joints slab in cement sand mortar 1:4 with ceiling pointing in cement sand mortar 1 : 3 complete as per specification for span: Above 2.00 metre and up to 2.50 metre	10.96	Sqm	1260.00	13809.60
9.	32.3.2	Cement plastering including T&P, scaffolding, material and complete labpour, including cost of water, curing, racking of joints etc. with 20 mm cement plaster of mix : 1:4 (1 cement : 4 fine/ coarse sand)	138.46	Sqm	315.50	44170.00
10.	36.3.1	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40mm flush bend, overflow arrangement with specials of standard	02.00	Each	6310.00	12620.00



		make and mosquito proof coupling of approved municipal design complete including painting of fittings and brackets, cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid.				
11.	36.7.1	White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps.	02.00	Each	2810.00	5620.00
12.	34.50.1	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms. 15 mm nominal bore	06.00	Each	627.00	3762.00
13.	27.19.3	Providing and fixing 1st quality MAT & GLOSSY finished ceramic tiles colour such as standard white, grey, ivory, fume, red brown, light green, light blue, and other light shades with water absorption less than or equal to 0.08% confirming to IS : 13753 & IS : 15622 in floor, steps etc laid on bed on neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4) Size 300mm x 450mm	28.64	Sqm	1074.00	30759.36
14.	27.12	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to IS : 13755 and IS : 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	4.35	Sqm	864.00	3758.40
15.	30.17.4	Precast terrazo tiles 22mm thick with graded marble chips of size upto 12mm laid in floors, and landings, jointed with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing complete with precast tiles on 20mm thick bed of cement mortar 1:4 (1 cement :4 coarse sand) : Ordinary cement without any pigment.	4.70	Sqm	865.00	4065.50
16.	31.41.2	Providing and fixing on wall face Unplasticised Rigid PVC Single socketed pipes rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. 110 mm diameter	60.00	Mtr.	312.00	18720.00
17.	34.9.1	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings. This included jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 15 mm nominal outer dia .Pipes	40.00	Mtr.	196.50	7860.00
18.	34.9.2	20 mm nominal outer dia .Pipes	50.00	Mtr.	243.00	12150.00
19.	34.47	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	1000.00	Per Ltr.	8.80	8800.00
20.	32.30.1	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade New work (two or more coats) over and including priming coat with cement primer.	47.73	Sqm	125.00	5966.25
21.	36.18.1	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White	02.00	Each	1060.00	2120.00
22.	.26 29.26.2	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	200.00	Kg.	144.50	28900.00
<b>total</b>						<b>496674.03</b>
<b>Say</b>						<b>4.97 Lacs</b>

I/We Tendering above work @ ..... above/below "G" Schedule.

Signature of Tendering Contractor .....