



# कार्यालय नगर निगम ग्रेटर जयपुर

पण्डित दीनदयाल उपाध्याय भवन, लालकोठी, जयपुर

क्रमांक : एफ8 ( )/उपा.गै./जननि/2024/LK6/516

दिनांक :- 16/01/2025

## अडेण्डम

(ई-निविदा संख्या 47/2024-25)

SUPPLY AND DELIVERY OF 02 TRUCK MOUNTED ROAD SWEEPER MACHINES WITH OPERATION & MAINTENANCE की प्री-बिड मीटिंग रखी गई थी। जिसके संबंध में निम्न फर्मों द्वारा उक्त निविदा के संबंध में अपने सुझाव प्रस्तुत किये गये हैं जो निम्नानुसार हैं:-

S N	Name of Firm	Clause No.	Observation & Suggestion	Committee Decision
1	M/s Prime Road Solutions	Instructions to Bidders Point No. 8-page 5:- On completion, submission of all documents and successful trial-10% payment will be released after one year from delivery date.	We request you that please release 100% payment after inspection & successful delivery of machines. As the successful bidder has to submit PBG also. So please remove this condition.	As Per Bid Document
		Instructions to Bidders Point No. 30-page 8:- Bidder should have supply 01-01 Unit of Both Type of Road Sweeper machine as per Requirement.	Please clarify to this point.	As Per Bid Document
		Eligibility Criteria Point No. 5-page 17: The tenderer shall furnish at least two certificates of satisfactory performance of Truck Mounted Road Sweeping Machine supplied together with attested copies of purchase orders received from those clients.	We request to you that instead of two certificates, delivery of two machines by the bidder should be accepted which is equal to 100% requirement of this tender.	As Per Bid Document
		Price Proposal Submission Sheet (BOQ) Page No. 18	Please clarify whether price is mandatory for both machines? We have Without any filter mechanism machines hence request you that the quote given for any one machine should be valid.	As Per Bid Document

Validity unknown Signature valid

Digitally signed by O. Prakash  
Thanvi  
Designation : City Commissioner  
Date: 2025.01.16 12:59:09 IST  
Reason: Approved



		Technical Specification Type of Fuel = Diesel	We request to you that In view of the Increasing pollution, Diesel engines should be replaced with CNG Engines which will reduce pollution to zero and the environment will be safe.  As this tender under NCAP program green fuel should be used, hence our suggestion that the machine should be used with both the CNG Engine	As Per Bid Document
2	M/s Sri Raja Rajesh wari Enterprises	Pg no. 17, Clause No. 13 In Eligibility Criteria  Confirmation certificate from the OEM/concerned authority/filter bag manufacturer must be submitted to comply with PM2.5/PM10 standards, and test result reports alone are not acceptable.	Consider test results issued by any authorized & certified laboratory"	As Per Bid Document
		Pg no. 17, Clause No. 5 In Eligibility Criteria  The tenderer should have Min. two-year experience (Monthly Average Minimum 30 km running per shift (8 Hours) Per Month per machine) of Operation & maintenance of Truck Mounted Road Sweeping Machine in any local body/ central govt./state govt./any Govt department/PSU. Bidder Should attach work order & Work Satisfactory Certificate regarding this.	"Bidder Should attach either LOA or Work Order along with Experience Certificate issued by any local body/central govt./state govt./any Govt department/ PSU."  In Southern regions where we operate, including in projects awarded by government authorities, the practice of issuing a work order is not followed. Instead after the issuance of the Letter of Acceptance (LOA), the agreement is executed immediately, and the LOA serves as the formal allotment order for the work.	As Per Bid Document
3	M/s Ensol Multiclean Equipment Pvt. Ltd.	Eligibility Criteria- Page-17 In this tender there is no clarity on Eligibility condition for Equipment Supply. Whereas there is clear and strong Eligibility condition for Operation and Maintenance. In your earlier Tender documents for the same tender he condition was clearly mentioned in Point No.4 - "The tenderer should have supplied at least 10 No. of Truck Mounted Road Sweeping Machine to any local body central govt./state govt./any govt department/PSU." In the revised document this important point has been omitted.	Kindly incorporate the same Eligibility condition for Equipment Supply as it was in your earlier tender documents.(Copy enclosed) ie.  "The tenderer should have supplied at least 10 No. of Truck Mounted Road Sweeping Machine to any local body central govt./state govt./any govt department/PSU."  The JV bidder should have the above experience of supply to ensure right quality, and support for the machine, as JMC is purchasing these machines.	As Per Bid Document
		Eligibility Criteria- Page-17, Point No.7	Kindly incorporate that	As Per Bid

Validity unknown Signature valid

Digitally signed by O.P. Prakash  
Thanvi  
Designation : Deputy Commissioner  
Date: 2025.01.11 12:59:09 IST  
Reason: Approved



	<p>“Joint Venture ( JV ) is allowed.....”.</p> <p>It does not mention about maximum number of JV partners allowed and requires clarity to avoid confusion.</p>	<p>“Maximum Two JV partners are allowed. The Tenderer can be part of one JV only”</p>	Document
	<p>Eligibility Criteria- Page-17, Point No.7</p> <p>“Joint Venture ( JV ) is allowed. In case of JV bidder should have experience of Operation and maintenance as well as supply of Similar Make’s Truck mounted Road Sweeper machine. Bidder should attach relevant documents eg. Agreement, work orders ( including Name of Make, Satisfactory certificates ( Including Name of Make ) ”.</p>	<p>---experience of Operation and Maintenance as well as supply of Similar Make’s Truck mounted Road Sweeper machine---</p> <p>To be changed to</p> <p>--experience of Operation and Maintenance as well as supply of Similar Type ie. Truck mounted Road Sweeper machine.</p>	As Per Bid Document
	<p>Eligibility Criteria- Sl. No.5 Page-17</p> <p>The tenderer should have minimum Two year experience (Monthly Average minimum 30 Km running per shift ( 8 Hours ) Per Month per machine)of Operation and maintenance of Truck mounted Road sweeping machine in any -----.</p>	<p>The specified condition of minimum Two year experience will make the tender very restrictive because generally, the Govt. O&amp;M contracts are for One Year period on per Shift/ Per Month basis with required Minimum running KM. and the certificate is also issued accordingly by the department on per Shift/ Per Month basis .</p> <p>Kindly also consider minimum One year experience of running minimum two machines. As the experience of Two machines for One Year period on per Shift/ Per Month basis will be same as One machine for Two Years.</p> <p>This will allow more competent bidders to participate at competitive price.</p>	As Per Bid Document
	<p>Technical Specifications- Sl. No. 19, Page 13.</p> <p>Dust Collector Container Material- “Should be made up of Stainless Steel Grade SS 409”</p>	<p>SS 409 is very inferior grade of Stainless Steel having 90% Iron and very low Percentage of Chromium and Nickle. It is highly prone to Rusting and corrosion and is highly Magnetic.</p> <p>Since the proposed Machine is with water spray system and wet sweeping, SS 409 is not at all recommended as Dust Collector Container collecting wet material will get rusted and corroded very quickly ,thus reducing its life.</p> <p>For Road Sweeper with water spray system SS Grade 304/316 is commonly used and recommended for Dust Collector Container Material, as they are superior in quality with high percentage</p>	As Per Bid Document

Validity unknown Signature valid

Digitally signed by C. Prakash  
 Thanvi  
 Designation : Deputy Commissioner  
 Date: 2025.01.11 12:59:09 IST  
 Reason: Approved

			of Chromium and Nickel making the alloy Rust and Corrosion proof. (Brief technical comparison SS Grades is enclosed for your study) Kindly incorporate that Dust Collector Container Material- "Should be made up of Stainless Steel Grade SS 304/316."	
		Technical Specifications- Sl. No. 56, Page 15. Type of Filter used in Dust Control - Truck mounted road sweeping machine should be of latest Technology using water Spraying System with Multiple jet Water Jet Nozzles at source (sweeping side brushes), inside the suction hose enroute to the dust hopper and also inside the dust hopper for complete suppression of dust and it should be all weather machine and should be capable of sweeping even during raining Season. Water suppression System should comprise of minimum 27 Jet Nozzles to suppress dust both at source and inside the Hopper. Fabric filter, bag filter or similar systems strictly are not acceptable	Kindly change to  Water suppression System should comprise of minimum 25 Jet Nozzles for effective dust suppression.  The number of nozzles and location should be as per OEM design.	As Per Bid Document
		Technical Specifications- Sl. No. 57, Page 15. Spray Location Minimum 27 Multiple Spray Nozzles provided enroute to Hopper as stated below: a) Front Spray Bar-7 Nozzles b) Main Broom- 6 Nozzles (Front & Rear of Brush) c) Side Brooms- Each 2 Nozzles (4Nos) d) Suction Head -Each 2 Nozzles (4Nos) e) Inside Hopper- 6 Nozzles	Kindly change to Water suppression System should comprise of minimum 25 Jet Nozzles for effective dust suppression at source.  The number of nozzles and location should be as per OEM design.	As Per Bid Document
		Eligibility Criteria- Sl. No.6 Page-17 The tenderer shall have an Average annual turnover equal to 50% of tender estimate cost in last three financial year.	Kindly change to The tenderer shall have an Average annual turnover equal to min 200% ( 18 Crore ) of tender estimate cost in last three financial year. For such a large and long term project the bidder should be financially sound and should be having good turnover.	As Per Bid Document

Validity unknown Signature valid

Digitally signed by O. Prakash  
Thanvi  
Designation : Commissioner  
Date: 2025.01.11 12:59:09 IST  
Reason: Approved

	Item Rate BOQ	In column No. 6 – Unit, it is mentioned Per KM Per Machine. Where as for Supply and delivery it should be Unit Price and for Operation and Maintenance it should be Per KM Per Machine. The current BOQ will give wrong Total Value. Kindly check.	As Per Bid Document
--	---------------	---	---------------------

- शेष शर्ते यथावत रहेगी।

उपायुक्त (गैराज)  
नगर निगम ग्रेटर जयपुर

प्रतिलिपि :-

- 1- ओसवाल डाटा, ननिज।
- 2- गार्ड फाईल।

उपायुक्त (गैराज)  
नगर निगम ग्रेटर जयपुर


Validity unknownSignature valid

Digitally signed by O. Prakash  
Thanvi

Designation : City Commissioner

Date: 2025.01.14 12:59:09 IST

Reason: Approved







# कार्यालय नगर निगम ग्रेटर जयपुर

पण्डित दीनदयाल उपाध्याय भवन, लालकोठी, जयपुर

क्रमांक : एफ8 ( )/उपा.गै./जननि/2024/LK 4 / 498

दिनांक :- 02/01/2025

## संशोधन

(ई-निविदा संख्या 47/2024-24)

गैराज शाखा द्वारा आमंत्रित ई-निविदा संख्या 47/2024-25 SUPPLY AND DELIVERY OF 02 TRUCK MOUNTED ROAD SWEEPER MACHINES WITH OPERATION & MAINTENANCE की निविदा मे अपरिहार्य कारणो से निम्नानुसार समयावधि बढाई जाती है :-

निविदा सूचना क्रमांक	कार्य का नाम	निविदा प्रस्तुत करने की संशोधित अन्तिम दिनांक	निविदा खोले जाने की संशोधित दिनांक
47	SUPPLY AND DELIVERY OF 02 TRUCK MOUNTED ROAD SWEEPER MACHINES WITH OPERATION & MAINTENANCE	17.01.2025 को सांय 4 बजे तक	17.01.2025 को सांय 5 बजे तक

1. शेष शर्ते यथावत रहेगी।

उपायुक्त (गैराज)  
नगर निगम ग्रेटर जयपुर

प्रतिलिपि :-

- 1- ओसवाल डाटा, ननिज।
- 2- गार्ड फाईल।

Validity unknown Signature valid

Digitally signed by उपायुक्त (गैराज) Prakash Thany, DN: cn=उपायुक्त (गैराज) Commissioner, o=नगर निगम ग्रेटर जयपुर, email=, c=IN  
Date: 2025.01.02 11:54:18 IST  
Reason: Approved



# MUNICIPAL CORPORATION GREATER JAIPUR

(Pandit Deendayal Upphadaya Bhawan, Lal Khoti, Tonk Road, Jaipur-302015, Raj.)

S. No: F8( )/DC (G)/NNJ/2024/ LKG/481

Dated 13/12/2024


E- Tender-NIT No. 40 47M

Online tenders are invited as per following detail from experienced, technically and financially sound reputed contractors who are registered in any of the central govt. Deptt./state govt. Deptt./local body/RUIDP/ADB funded project/world bank funded projects fulfilling eligibility criteria as describe in technical bid" of tender document.

S. No	Particular	Detail
1	Name of work	SUPPLY AND DELIVERY OF 02 TRUCK MOUNTED ROAD SWEEPER MACHINES WITH OPERATION & MAINTENANCE
2	Cost of tender document (non-refundable) In favor of municipal corporation Jaipur, payable at Jaipur	Rs. 5000/-
3	Risl processing fee (non-refundable) In Favor of Managing Director RISL, payable at Jaipur	Rs. 2500/-
4	Estimated project cost	Rs. 09 Cr
5	Earnest money deposit	Rs. 18,00,000
6	Tender Publication on official web site <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a>	16-12-2024, 05 PM
7	Tender download start date	16-12-2024, 06 PM
8	Pre Bid Meeting	23-12-2024, 02 PM
9	Bid Submission start date	30-12-2024, 05 PM
10	bid submission End date	07-01-2025, 04 PM
11	Technical bid opening date/time	07-01-2025, 05 PM

**Note :**

1. Tenderer are to be submitted online in electronic format on web site (<http://eproc.rajasthan.gov.in>).
2. It for any reason government holiday is declared on the opening of technical/financial bid date, the tenders shall be opened on the next working date at the same time and place.
3. Municipal Corporation Greater Jaipur reserve the right to cancel all or any bid without assigning any reason here of.
4. Interested bidders may obtain further information from the office of Dy. Commissioner (Garage) Municipal Corporation Greater Jaipur.
5. Bid Validity 90 Days (3 month)

  
**Dy. Commissioner (Garage)**  
**Municipal Corporation Greater Jaipur**