### MUNICIPAL CORPORATION KOTA (NORTH)

(NIT NO. 16/2024-25) ('G' Schedule) (Copy No. 02)

Name of work:- वार्ड नं0 18 देवली अरब रोड़ शमशान में टीनशेड, मरम्मत एवं निर्माण कार्य।

**Estimated Cost:-**

13.65 Lacs

Tender Cost:- Rs. 1500/-

Processing Fees :- Rs. 500/-

Date & time of downloading of Bid

Date & time of online submission of Bid

Date, time and opening of Technical Bid -

Date and Time Opening of Financial Bid

Earnest Money: 6825/- (0.50%)

27300/- (2%)

03 Months

26-13-24 to 06-01-25

26-13-34 to 06-01-25

07.-. 01-. 25....upto 4:00PM


तकनिकी बिड परीक्षण के पश्चात्

Issued

To:

(Rates Based on RUIDP SOR (2023)

	C.R. No. Date:-	(Kates	s baseu (	אטוטא ווכ	SOR (2023)	
S.No	Particulars of the Land	Qty.	unit	Rate	Amount	
05.20	Earth work in excavation in foundation, trenches etc. including dressing of sides and ramming of bottoms,	mix drive A	odi, ami	CO Chedius	wherever re less than 27	
	including getting out the excavated material, refilling		size to ex	Si Ju vash	Providing a	
	after laying pipe/ foundation and disposal of surplus		e es las	Dexil 198	a.Z.J glade C.S.d	
1	excavated material at a lead upto 50m suitable site as per		3 nib c	ini 8 ato	L bots and L	
	direction of Engineer for following depths, below natural		ied men0	rpletc. 2.8	washers co	
	ground / Road top level.In all types soils/ saturated soil			monte	A MENT SEST	
	such as moorum, sand, sandy silt, clay, black cotton soil, kankar, etc. Depth upto 1.5 m	24.84	Cum	229.50	5700.7	
-	Providing and laying in position cement concrete of	24.04	Cuin	229.30	3700.7	
	specified grade excluding the cost of centring and		Lexinos	as an fac	is least state.	
2	shuttering - All work upto plinth level : 1:4:8 (1 Cement :		n sister	allings, br	bar, ladder,	
	4 fine/ coarse sand : 8 graded stone aggregate 40 mm					
	nominal size).	6.60	Cum	4575.00	30195.0	
	Providing, laying, spreading and compacting of granular		(2:0)	11-14.00	פוניהוכולכ פוני	
	sub-base by providing close graded Material, mixing in a		office to	eng-inflow	to noun'or	
	mechanical mix plant at OMC, carriage of mixed		er out g	thatone	epiteottioods	
	Material to work site, spreading in uniform layers with		s Starstan	as virtosh	general Citizens	
3	motor grader on prepared surface and compacting with vibratory power roller to achieve the desired density,			or original	mm & Coner	
	complete as per MoRT&H specification clause - 401		m. Sthum	from stor	no J In musi	
	including all material, labour, machinery, lighting,					
	guarding and maintenance of diversion. Grading - III		ranita st	J. grizit be	Fravidage a	
1.9	Material government and government a	29.70	Cum	1360.00	40392.0	
	Random rubble masonry with hard stone in foundation		o biol sa	Photors.	Silk Country	
4	and plinth : Cement mortar 1:6 (1 cement : 6 coarse sand)	3 control 8	Домья	1000.00	101000	
-	Brick work with FPS bricks of class designation 75 in	37.26	Cum	4860.00	181083.6	
5	foundation and plinth in: Cement mortar 1:6 (1 cement :		polodk	a uniber	e material	
3	6 coarse sand)	9.42	Cum	5400.00	50868.0	
1,50	Structural steel work riveted, bolted or welded in built up					
6	sections, trusses and framed work, including cutting,		itoti tol	a gainiya	first atted	
0	hoisting, fixing in position and applying a priming coat	Vanither c	enstrumos	ands who	martile/ Gird	
	of approved steel primer all complete:	1450.00	Kg	114.50	166025.0	



ट्रियम कोटा उत्तर

	Grand Total	L'N		1100	1364721.7
15	Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite Work	a guiviene a guiviene a sando	bomed bus ned need the s	1	at another at a surface to the surfa
00	dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete.  Green / Black 1501 Cm2 to 3600 Cm2 Tiles	151.66		4025.00	and street
14	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1white cement : 2 marble			d mainen ble musor eropi ino	guirding a Material Random m and plintlet
	mm/12 mm length to be mixed @ 0.25% by weight of Cement i.e. 125 gms per 50 kg Cement up to 900 gms per cum of Concrete/ mortar. 50mm thick.	ab and so minuffin	inter of	soller 1970	a elektronia a elektronia a elektronia 9211.5
13	solution of water-proof compound complete as per specification including Providing /mixing of synthetic fibers compulsorily complying with IS 16481:2022 of 06		mibeznqe	work site,	Providing, I sub-base Py otechanical htererial to
12	applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.		Kg		specified g
87.1	Steel work welded in built up sections/ framed work including cutting, hoisting, fixing in position and	anldpio.H	sandy si 1.5 m	erum sand Depeh upte	such as mod kankar, etc.
11	bolts and nuts 8 mm dia. G.I. limpet and bitumen washers complete. 0.80mm thick with zinc coating not less than 275gm/m <sup>2</sup>	8.40	Mtr.	905.00	7602.0
	plant distinct inter that polymer couled to it is mooned,	him betev seogail bre	the extra ndation	1 2 2 2 2	including g after (a) ing
	wherever required. 0.80mm thick with zinc coating not less than 275gm/m <sup>2</sup>	116.80	Sqm	1064.00	124275.2
10	with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete upto any pitch in horizontal/vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to size and shape		articula	.0	0.18.19
	Providing corrugated G.S. sheet roofing including vertical/ curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled	- 648 h 647 ka	Feebnic Plaane	pening of	e, time and o e and Time C
9	and manufacture to give an even shade Two or more coats on new work	50.00	Sqm	114.00	5700.0
8	brand and manufacture to give an even shade: Two or more coats on new work  Painting with synthetic enamel paint of approved brand	403.37	Sqm	117.50	47395.9
-	1:6 (1 cement : 6 fine/ coarse sand)  Wall painting with plastic emulsion paint of approved	60.70	Sqm	294.50	310W 17876.1
7	Cement plastering including T&P, scaffolding, material and complete labpour, including cost of water, curing, racking of joints etc. with 20 mm cement plaster of mix:	(a) (.e.	2024-2		TIN)





#### Terms & Conditions:-

- 1 निविदओं में भाग लेने वाले संवेदकों / फर्मो द्वारा जमा की जाने वाली निविदा शुल्क, प्रोसेगिंग फीस, धरोहर राशि आयुक्त नगर निगम कोटा—उत्तर की वेबसाइट www.kotamc.org, पर जाकर ऑनलाईन जमा करवानी होगी। जिसकी रसीद ऑनलाईन तकनीकी बिड में संवदेक द्वारा अपलोड करनी होगी। इसके अभाव में संवेदक को असफल कर दिया जायेगा। असफल संवेदक की सिर्फ धरोहर राशि लोटाई जावेगी। निविदा शुल्क एवं प्रोसेसिंग फीस (Non-Refundable) वापस नहीं की जावेगी।
- कार्य के विलम्ब की स्थिति में गुणावगुण के आधार पर अनुबन्ध में निहित अधिकतम दर तक शास्ती लगायी जा सकेगी।
- 3 अनुबन्ध करने में असमर्थ रहने अथवा कार्य करने में असमर्थ रहने पर अनुबन्ध की शर्त सं0 2 व 3 के अन्तर्गत आपकी रिस्क एण्ड कास्ट पर नगर निगम को कार्य करने का / जमा योग्य अर्नेस्ट मनी की शास्ती लगाने की कार्यवाही करने का निगम को अधिकार सुरक्षित रहेगा बिड सिक्यूरिटी घोषणा पत्र के अनुसार कार्यवाही कर सकेगा।
- 4 कार्य प्रारम्भ करने से पूर्व एवं कार्य समाप्ति कार्य स्थल के फोटोग्राफ प्रस्तुत करने होगें एवं कार्य स्थल पर सूचना बोर्ड स्वयं के खर्चे पर लगाना होगा।
- 5 कार्य प्रारम्भ करने से पूर्व संबंधित सहा.अभि. / किन.अभि. संबंधित वार्ड पार्षद / जन प्रतिनिधि को सूचित करेगें एवं उनके सामने गुणवत्ता रिपोर्ट हेतु सेम्पल लिया जाना सुनिश्चित करेगें।
- 6 न्युनतम मजद्री एक्ट एवं श्रम कानुनों की पालना किया जाना अनिवार्य होगा।
- 7 कर्मचारी भविष्य निधि योजना (EPFO) के अन्तर्गत EPF & ESI पंजीयन की प्रति संलग्न करनी होगी एवं EPF & ESI के समस्त प्रकार के दायित्त्वों का निवर्हन संवेदक का होगा के संबंध में 100/-रू0 के स्टाम्प पर शपथ पत्र प्रस्तुत करना होगा।
- 8 कार्य संपादन प्रतिभूति / सुरक्षा निधि की वापसी अनुबंध की शर्त संख्या 37 के अनुसार होगी।
- 9 संवेदक द्वारा निष्पादित किये जाने वाले अनुबंध में संवेदक यह तथ्य भी स्पष्ट रूप से उल्लेख करेगा की PF & ESI विभाग के किसी प्रकार के दायित्त सृजित होते हैं तो उसकी समस्त जिम्मेदारी संवेदक की होगी।
- 10 वित्त विभाग की अधिसूचना दिनांक 22.10.2021 अनुसार आर. टी. पी. पी. नियम 2013 Additional Perfomance Security के लिए नियम 75 । जोड़ा गया है। जिसके तहत कार्य आदेश जारी से पूर्व नियमानुसार राशि जमा करवानी होगी।
- 11 सुरक्षा निधि (Perfomance Gurantee) नियमानुसार प्रत्येक रनिंग बिल व अंतिम बिल से 10 प्रतिशत राशि काटी जावेगी तथा अनुबन्ध की शर्त संख्या 37 के अनुसार लौटाई जावेगी।

Signature of Contractor

सहायकं अभियन्ता नगर निगम कोटा उत्तर Executive Engineer Nagar Nigam, Kota-North निविद्यों में मान क्षेत्रे वाले सर्वदक्ती अमी आया (ठेडरडे) में बाली-निविद्धा सुम्क प्रांतिमिय क्षेत्र करोहर गणि लामका मान विद्यात करान करामी केसी है जिसकी रसीद

#### सहमति-पत्र

औनस्तान सफनीकी विश्व में संबंधित हारा अवलोड करनी होती। इसके अभाग ने संवेदता को अस्पन्त कर दिया उपनेता।

विषय : अपनी निविदा हेतु सहमति के संबंध में।

प्रसंग : निविदा क्रमांक क्रांक क्रिक्ट क्रिक क्रिक्ट क्रिक क्रिक्ट क्रिक क्रिक्ट क्रिक्ट क्रिक्ट क्रिक्ट क्रिक्ट क्रिक्ट क्र

महोदय,

विषयान्तर्गत निवेदन है कि मैं सत्यनिष्ठा पूर्वक अपनी निम्न सहमति प्रस्तुत करता हूँ :-

- (1) निविदा प्रपत्र पर मेरे स्वयं के हस्ताक्षर है।
- (3) मेरे द्वारा प्रस्तुत रजिस्ट्रेशन मेरा स्वयं का है एवम् पूर्णतया वैध है।
- (4) कार्य मेरे द्वारा ही सम्पादित किया जायेगा एवं इसे Sublet नहीं किया जायेगा।
- (5) किसी भी प्रकार की गलत जानकारी के लिये मैं स्वयं उत्तरदायी रहूँगा।

दिनांक : .....

Signature of Contractor

# कार्यालय नगर निगम, कोटा-उत्तर (राज0)

## तकनीकी बिड़ दस्तावेज चैक लिस्ट

कार्य का नाम:- वार्ड नं0 18 देवली अरब रोड़ शमशान में टीनशेड, मरम्मत एवं निर्माण कार्य।

क्र。 सं.	तकनीकी बिड़ के साथ निम्न दस्तावेज जो संलग्न करने है।	दस्तावेजो का विवरण	संलग्न पेज
1	निविदओं में भाग लेने वाले संवेदकों / फर्मी द्वारा जमा की जाने वाली निविदा शुल्क, प्रोसेगिंग फीस, धरोहर राशि आयुक्त नगर निगम कोटा—उत्तर की	P. Phylips	
	वेबसाइट <u>www.kotamc.org</u> , पर जाकर ऑनलाईन जमा करवानी होगी। जिसकी रसीद ऑनलाईन तकनीकी बिड में संवदेक द्वारा अपलोड करनी होगी		
	की प्रति।		
2	कर्मचारी भविष्य निधि योजना (EPFO) के अन्तर्गत EPF & ESI पंजीयन की प्रति संलग्न करनी होगी		
3	EPF & ESI के समस्त प्रकार के दायित्त्वों का निवर्हन संवेदक का होगा के संबंध में 100/—रू० के स्टाम्प पर शपथ पत्र प्रस्तुत करना होगा।	100 E	
4	संवेदक को किसी भी राजकीय संस्था विभाग, बोर्ड, कॉर्पोरेशन अथवा उपक्रम में गत 03 वर्षों में ब्लैक लिस्टेड / डिबार अथवा डिफाल्टर धोषित नहीं किया होना चाहिए इस संबंध में स्वप्रमाणित अपने लेटरपेड पर निविदा के साथ संलग्न किया जाना आवश्यक है।	4	
5	फर्म नगर निगम कोटा एवं अन्य विभाग में पंजीयन की प्रति संलग्न करनी होगी।	3	
6	फर्म की जीएसटी विभाग में पंजीयन की प्रति।		
7	फर्म का पेनकार्ड नं० की छायाप्रति संलग्न करनी होगी।	the baylot	
8	वर्ष 2023 में EPF&ESI हेतु पंजीकृत होने वाले संवेदक रजिस्ट्रेशन की प्रति संलग्न करेगे।		
9	भविष्य में EPF&ESI से श्रमिको के भुगतान की ओडिट कराने का 50रू के स्टाम्प पर शपथ पत्र संलग्न करेगें।		
0	तकनीकी बिड/जी शिड्यूल की संवेदक द्वारा अपलोड की प्रति	S. S. L.	
1	निविदा में संलग्न सहमति पत्र प्रारूप के अनरूप		
-			

नोट :- उपरोक्त सभी प्रमाण पत्र स्व प्रमाणित होने चाहिये एवं उक्त दी गई सूचनाएँ मेरी जानकारी एवं विश्वास के अनुसार सही है तथा हमारी फर्म निविदा की समस्त शर्तो एवं नियमों की पालना करने के लिये सहमत है।

हस्ताक्षर निविदादाता

अधिशाषी अभियन्ता नगर निगम, कोटा-उत्तर